

HDMS – Single phase dynamic motor starter

Switches

HDMS




IGBT based single phase motor starter



At Carlo Gavazzi, we do things differently: we question market trends, listen to the wishes of our customers and find practical solutions. For these reasons, we have developed the IGBT-based AC motor starter HDMS (High Dynamic Motor Starter).

The HDMS is the latest-generation electronic soft starter, specially designed for starting single-phase motors with start and run capacitor (CSCR).

The HDMS is aimed primarily at all OEMs in the heat pump, cooling and water treatment sectors, who have problems with the supply networks that are too weak when starting single phase (CSCR) motors. Compared to commercially available solutions, the HDMS can start single phase (CSCR) motors without an additional starting capacitor with the highest possible torque.



A breakthrough in single phase motor starting

Start capacitor no longer needed

Faulty starting capacitors are the most common cause of malfunction in CSCR motors. Voltage fluctuations and high temperatures often lead to premature failure of these components.

The HDMS features an innovative (patent pending) algorithm that allows it to generate sufficient torque to start CSCR single phase motors without requiring a start capacitor. This will result in a longer lifetime and fewer issues for your equipment.

Exceptional current reduction

HDMS reduces start up current by an average of 75% compared to direct on line (DOL) start. The significant start up current reduction also leads to fewer alarms in applications with weak power supply.

Self-learning for optimised starts all the time

The HDMS features our 3rd generation of self-learning algorithms. This results in a product that is easy to use as it does not require any user adjustments. Through specific parameter measurements, the HDMS is able to improve the motor starts on every single start.

Simple troubleshooting


The onboard Modbus and NFC communication interfaces allow the user to download important information from the HDMS.



An innovative product in multiple ways

Thanks to an innovative algorithm (patent pending), the HDMS can start scroll compressors and submersible pumps without the use of a starting capacitor. This results in higher reliability, especially in applications with weak power supplies.

The NFC communication with Android smartphones allows download of troubleshooting data in a de-energized state. The Modbus interface also offers the option for remote monitoring. This ensures quicker fault finding and machine up time.




The HDMS is equipped with class 10 overload protection to offer more protection for your motors. Additional monitoring functions are also available to keep your motors protected even in abnormal conditions.

The HDMS features our 3rd generation of self-learning algorithms. This results in a product that is easy to use as it does not require any user adjustments. Through specific parameter measurements, the HDMS is able to improve the motor starts on every single start.


The HDMS features a tool free design that makes your wiring very quick and easy. No tools are required ... just the power of your fingers! This results in 50% time saving during installation.

Versatile communication options




Monitoring and troubleshooting software

The integrated Modbus RTU RS485 interface allows the HDMS to be connected to a PC for real time monitoring of energy and operating variables. Furthermore, thanks to NFC technology, stored data in the HDMS can be downloaded to any Android smartphone or tablet. This is done when HDMS is in the off state to ensure maximum safety for personnel.



download link
Android software
HDMS Mobile

Software for monitoring and troubleshooting



Device history download

History file contains data for:


- First 8 starts
- Last 24 starts
- 143 alarm events

Troubleshooting guide

Alarm counters are recorded in device memory. Troubleshooting guide can be accessed directly through your phone

Data available in .csv

All data can be downloaded in .csv format to your phone. Data can easily be shared via email for faster identification of problems.



Applications

Heat pumps

- HDMS reduces scroll compressors starting current up to 75%
- Algorithm is optimised to start in < 1 sec
- No settings are required
- HDMS will automatically optimise the start current at every single start!



Deep well pumps

- HDMS can start submersible pumps with < 1.2 times the pump's nominal current
- Coated PCBs ensure high protection against humid environments
- Wide operational and control voltage range ensure higher reliability in installations with weak voltage grid
- Various application related faults are automatically detected by the HDMS for additional motor protection
- Most of the alarms follow a self-recovery routine to minimise machine downtime



Refrigeration compressors

- Start capacitors are used in hard start kits as well as traditional soft starters to start high starting torque motors such as scroll compressors
- With HDMS the start capacitor can be removed
- This results in higher reliability and performance, especially with unstable voltage networks



Technical specifications

Technical specifications

Supply voltage	110–230 VAC
operating frequency	50/60 Hz
Nominal load current	12/25/32/37 AAC
Control voltage	110–230 VAC
Mounting	Panel or DIN rail
Operating temperatur	-20°C to +65°C
Overload category	AC53b:1-5:1-360
Starts per hour	10
Relay output	2 relay outputs Functions: Alarm, Top of ramp
Connections	Lever operated terminals / Push in


Communication

Optional Modbus RTU interface (2 - wire /RS485)

Features	Configuration Real time variable measurements History file download Start / Stop command
----------	---

NFC interface

Features	History file download
----------	-----------------------



Ordering Code

References	12 AAC	25 AAC	32 AAC	37 AAC
Without Modbus interface				
Panel Installation	HDMS2312G0V20	-	-	-
DIN rail mounting	HDMS2312G0V21	-	-	-
With Modbus interface				
Panel Installation	HDMS2312G0V20C	HDMS2325G0V20C	HDMS2332G0V20C	HDMS2337G0V20C
DIN rail mounting	HDMS2312G0V21C	HDMS2325G0V21C	HDMS2332G0V21C	HDMS2337G0V21C

OUR SALES NETWORK IN EUROPE

AUSTRIA

Carlo Gavazzi GmbH
Ketzergasse 374,
A-1230 Wien
Tel: +43 1 888 4112
Fax: +43 1 889 10 53
office@carlogavazzi.at

FRANCE

Carlo Gavazzi Sarl
Zac de Paris Nord II, 69, rue de la Belle Etoile,
F-95956 Roissy CDG Cedex
Tel: +33 1 49 38 98 60
Fax: +33 1 48 63 27 43
french.team@carlogavazzi.fr

ITALY

Carlo Gavazzi SpA
Via Milano 13,
I-20020 Lainate
Tel: +39 02 931 761
Fax: +39 02 931 763 01
info@gavazziacbu.it

SPAIN

Carlo Gavazzi SA
Avda. Iparraguirre, 80-82,
E-48940 Leioa (Bizkaia)
Tel: +34 94 480 4037
Fax: +34 94 431 6081
gavazzi@gavazzi.es

BELGIUM

Carlo Gavazzi NV/SA
Mechelsteeweg 311,
B-1800 Vilvoorde
Tel: +32 2 257 4120
Fax: +32 2 257 41 25
sales@carlogavazzi.be

GERMANY

Carlo Gavazzi GmbH
Pfnorstr. 10-14
D-64293 Darmstadt
Tel: +49 6151 81000
Fax: +49 6151 81 00 40
info@gavazzi.de

NETHERLANDS

Carlo Gavazzi BV
Wijkermeerweg 23,
NL-1948 NT Beverwijk
Tel: +31 251 22 9345
Fax: +31 251 22 60 55
info@carlogavazzi.nl

SWEDEN

Carlo Gavazzi AB
V:a Kyrkogatan 1,
S-652 24 Karlstad
Tel: +46 54 85 1125
Fax: +46 54 85 11 77
info@carlogavazzi.se

DENMARK

Carlo Gavazzi Handel A/S
Over Hadstensevej 40,
DK-8370 Hadsten
Tel: +45 89 60 6100
Fax: +45 86 98 15 30
handel@gavazzi.dk

GREAT BRITAIN

Carlo Gavazzi UK Ltd
4.4 Frimley Business Park,
Frimley, Camberley, Surrey GU16 7SG
Tel: +44 1 276 854 110
Fax: +44 1 276 682 140
sales@carlogavazzi.co.uk

NORWAY

Carlo Gavazzi AS
Melkeveien 13,
N-3919 Porsgrunn
Tel: +47 35 93 0800
Fax: +47 35 93 08 01
post@gavazzi.no

SWITZERLAND

Carlo Gavazzi AG
Verkauf Schweiz/Vente Suisse
Sumpfstrasse 3,
CH-6312 Steinhausen
Tel: +41 41 747 4535
Fax: +41 41 740 45 40
info@carlogavazzi.ch

FINLAND

Carlo Gavazzi OY AB
Ahventie 4 B,
FI-02170 Espoo
Tel: +358 9 756 2000
myynti@gavazzi.fi

PORTUGAL

Carlo Gavazzi Lda
Rua dos Jerónimos 38-B,
P-1400-212 Lisboa
Tel: +351 21 361 7060
Fax: +351 21 362 13 73
carlogavazzi@carlogavazzi.pt

OUR SALES NETWORK IN THE AMERICAS

USA

Carlo Gavazzi Inc.
750 Hastings Lane,
Buffalo Grove, IL 60089, USA
Tel: +1 847 465 6100
Fax: +1 847 465 7373
sales@carlogavazzi.com

CANADA

Carlo Gavazzi Inc.
2660 Meadowvale Boulevard,
Mississauga, ON L5N 6M6, Canada
Tel: +1 905 542 0979
Fax: +1 905 542 22 48
gavazzi@carlogavazzi.com

MEXICO

Carlo Gavazzi Mexico S.A. de C.V.
Circuito Puericultores 22, Ciudad Satelite
Naucalpan de Juarez, Edo Mex. CP 53100
Mexico
T +52 55 5373 7042
F +52 55 5373 7042
mexicosales@carlogavazzi.com

BRAZIL

Carlo Gavazzi Automação Ltda.
Av. Francisco Matarazzo, 1752
Conj 2108 - Barra Funda - São Paulo/SP
Tel: +55 11 3052 0832
Fax: +55 11 3057 1753
info@carlogavazzi.com.br

OUR SALES NETWORK IN ASIA AND PACIFIC

SINGAPORE

Carlo Gavazzi Automation Singapore Pte. Ltd.
61 Tai Seng Avenue #05-06
Print Media Hub @ Paya Lebar iPark
Singapore 534167
Tel: +65 67 466 990
Fax: +65 67 461 980
info@carlogavazzi.com.sg

MALAYSIA

Carlo Gavazzi Automation (M) SDN. BHD.
D12-06-G, Block D12,
Pusat Perdagangan Dana 1,
Jalan PJU 1A/46, 47301 Petaling Jaya,
Selangor, Malaysia.
Tel: +60 3 7842 7299
Fax: +60 3 7842 7399
sales@gavazzi-asia.com

CHINA

Carlo Gavazzi Automation
(China) Co. Ltd.
Unit 2308, 23/F.,
News Building, Block 1, 1002
Middle Shennan Zhong Road,
Shenzhen, China
Tel: +86 755 83699500
Fax: +86 755 83699300
sales@carlogavazzi.cn

HONG KONG

Carlo Gavazzi Automation
Hong Kong Ltd.
Unit No. 16 on 25th Floor, One
Midtown,
No. 11 Hoi Shing Road, Tsuen Wan,
New Territories, Hong Kong
Tel: +852 23041228
Fax: +852 23443689

OUR COMPETENCE CENTRES AND PRODUCTION SITES

DENMARK

Carlo Gavazzi Industri A/S
Hadsten

MALTA

Carlo Gavazzi Ltd
Zejtun

ITALY

Carlo Gavazzi Controls SpA
Belluno

LITHUANIA

Uab Carlo Gavazzi Industri Kaunas
Kaunas

CHINA

Carlo Gavazzi Automation (Kunshan) Co., Ltd.
Kunshan

HEADQUARTERS

Carlo Gavazzi Automation SpA
Via Milano, 13
I-20020 - Lainate (MI) - ITALY
Tel: +39 02 931 761
info@gavazziautomation.com



CARLO GAVAZZI
Automation Components

Energy to Components!

www.gavazziautomation.com

